



105 Crest Pointe Ln
Oak Ridge, TN 37830
(865) 748-9414

Radon Test Report

01-Mar-2021

Customer Information: Joe Tech 123 Main Street Frederick MD 21713	Test Site: 555 Bismuth Blvd Frederick MD 21713
---	---

A Rad Elec Recon[®] CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L

Analyzed By: Andrei Butterfield
Deployed By: Andrei Butterfield
Retrieved By: Andrei Butterfield

Cal. Date: 9/23/2019 Cal. Due: 09/23/2020

Protocol: Closed Building Conditions Met
Tampering: No Tampering Detected
Weather: No Abnormal Weather Conditions
Mitigation: No Mitigation System Installed
Comment: Thanks for the business!

Radon Health Risk Information

Radon is the second leading cause of lung cancer after smoking. The U.S. Environmental Protection Agency (US EPA) and the Surgeon General strongly recommend that further action be taken when a home's radon test results are 4.0 pCi/L or greater. The national average indoor radon level is about 1.3 pCi/L. The higher the home's radon level, the greater the health risk to you and your family. Reducing your radon levels can be done easily, effectively and fairly inexpensively. Even homes with very high radon levels can be reduced below 4.0 pCi/L. Please refer to the EPA website at www.epa.gov/radon for further information to assist you in evaluating your test results or deciding if further action is needed.

Signature: Sample Signature

Date: Mar 1, 2021



105 Crest Pointe Ln
 Oak Ridge, TN 37830
 (865) 748-9414

Graphical Radon Report

01-Mar-2021


Customer Information: Joe Tech 123 Main Street Frederick MD 21713	Test Site: 555 Bismuth Blvd Frederick MD 21713
---	---

A Rad Elec Recon® CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L





105 Crest Pointe Ln
Oak Ridge, TN 37830
(865) 748-9414

Hourly Radon Report

01-Mar-2021

Customer Information:

Joe Tech
123 Main Street
Frederick MD 21713

Test Site:

555 Bismuth Blvd
Frederick MD 21713

A Rad Elec Recon® CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L

Record#	Date/Time	Radon (pCi/L)	Temperature (°F)	Pressure (inHg)	Humidity (%)	Tilts
1	Aug-25-2020 11:55	2.3	77	29.1	48	0
2	Aug-25-2020 12:55	2.4	77	29.1	48	0
3	Aug-25-2020 13:55	2.7	78	29.1	48	0
4	Aug-25-2020 14:55	3.0	77	29.0	47	0
5	Aug-25-2020 15:55	3.6	77	29.0	47	0
6	Aug-25-2020 16:55	2.3	76	29.0	46	0
7	Aug-25-2020 17:55	2.7	76	29.0	46	0
8	Aug-25-2020 18:55	2.7	74	29.0	46	0
9	Aug-25-2020 19:55	2.8	74	29.0	46	0
10	Aug-25-2020 20:55	2.6	75	29.1	47	0
11	Aug-25-2020 21:55	3.4	75	29.1	47	0
12	Aug-25-2020 22:55	2.9	76	29.1	47	0
13	Aug-25-2020 23:55	2.8	76	29.1	48	0
14	Aug-26-2020 00:55	3.0	75	29.1	47	0
15	Aug-26-2020 01:55	3.6	75	29.1	48	0
16	Aug-26-2020 02:55	2.8	75	29.1	48	0
17	Aug-26-2020 03:55	3.6	75	29.1	48	0
18	Aug-26-2020 04:55	3.4	75	29.1	49	0
19	Aug-26-2020 05:55	3.4	75	29.1	49	0
20	Aug-26-2020 06:55	4.1	74	29.2	49	0
21	Aug-26-2020 07:55	3.4	74	29.2	50	0
22	Aug-26-2020 08:55	3.3	74	29.2	50	0
23	Aug-26-2020 09:55	4.8	74	29.2	50	0
24	Aug-26-2020 10:55	4.4	75	29.2	50	0
25	Aug-26-2020 11:55	3.7	76	29.2	50	0
26	Aug-26-2020 12:55	3.4	76	29.2	49	0
27	Aug-26-2020 13:55	2.8	77	29.2	48	0
28	Aug-26-2020 14:55	3.7	77	29.2	48	0
29	Aug-26-2020 15:55	2.8	77	29.1	47	0
30	Aug-26-2020 16:55	2.7	77	29.1	46	0
31	Aug-26-2020 17:55	2.9	76	29.1	46	0
32	Aug-26-2020 18:55	2.9	74	29.1	45	0



105 Crest Pointe Ln
Oak Ridge, TN 37830
(865) 748-9414

Hourly Radon Report

01-Mar-2021

Customer Information:

Joe Tech
123 Main Street
Frederick MD 21713

Test Site:

555 Bismuth Blvd
Frederick MD 21713

A Rad Elec Recon[®] CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L

Record#	Date/Time	Radon (pCi/L)	Temperature (°F)	Pressure (inHg)	Humidity (%)	Tilts
33	Aug-26-2020 19:55	2.7	74	29.1	45	0
34	Aug-26-2020 20:55	2.3	75	29.1	46	0
35	Aug-26-2020 21:55	2.6	75	29.1	47	0
36	Aug-26-2020 22:55	2.4	76	29.1	47	0
37	Aug-26-2020 23:55	2.6	76	29.1	48	0
38	Aug-27-2020 00:55	3.0	74	29.1	47	0
39	Aug-27-2020 01:55	2.3	75	29.1	47	0
40	Aug-27-2020 02:55	3.0	73	29.1	47	0
41	Aug-27-2020 03:55	2.7	74	29.0	48	0
42	Aug-27-2020 04:55	3.4	74	29.0	48	0
43	Aug-27-2020 05:55	2.6	74	29.1	49	0
44	Aug-27-2020 06:55	2.5	75	29.1	49	0
45	Aug-27-2020 07:55	3.4	75	29.1	49	0
46	Aug-27-2020 08:55	1.6	75	29.1	50	0
47	Aug-27-2020 09:55	2.1	75	29.1	50	0
48	Aug-27-2020 10:55	1.5	76	29.0	50	0
49	Aug-27-2020 11:55	2.7	77	29.0	50	0
50	Aug-27-2020 12:55	1.3	77	29.0	48	0
51	Aug-27-2020 13:55	2.5	76	29.0	48	0
52	Aug-27-2020 14:55	2.6	74	29.0	47	0
53	Aug-27-2020 15:55	2.2	74	29.0	46	0
54	Aug-27-2020 16:55	2.1	72	28.9	46	0
55	Aug-27-2020 17:55	2.2	71	28.9	46	0
56	Aug-27-2020 18:55	2.0	72	29.0	46	0
57	Aug-27-2020 19:55	2.1	74	29.0	46	0
58	Aug-27-2020 20:55	1.9	72	29.0	46	0
59	Aug-27-2020 21:55	3.5	70	29.0	46	0
60	Aug-27-2020 22:55	1.9	69	29.0	46	0
61	Aug-27-2020 23:55	2.0	68	29.0	46	0
62	Aug-28-2020 00:55	2.3	69	29.0	47	0
63	Aug-28-2020 01:55	2.9	69	29.0	47	0



105 Crest Pointe Ln
Oak Ridge, TN 37830
(865) 748-9414

Hourly Radon Report

01-Mar-2021

Customer Information:

Joe Tech
123 Main Street
Frederick MD 21713

Test Site:

555 Bismuth Blvd
Frederick MD 21713

A Rad Elec Recon® CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L

Record#	Date/Time	Radon (pCi/L)	Temperature (°F)	Pressure (inHg)	Humidity (%)	Tilts
64	Aug-28-2020 02:55	2.2	70	29.0	48	0
65	Aug-28-2020 03:55	2.3	70	29.0	48	0
66	Aug-28-2020 04:55	2.9	71	29.0	49	0
67	Aug-28-2020 05:55	3.3	71	29.0	49	0
68	Aug-28-2020 06:55	2.8	72	29.0	49	0
69	Aug-28-2020 07:55	2.6	72	29.0	49	0
70	Aug-28-2020 08:55	1.8	73	29.1	49	0
71	Aug-28-2020 09:55	3.0	73	29.1	49	0
72	Aug-28-2020 10:55	4.0	74	29.1	50	0
73	Aug-28-2020 11:55	3.1	75	29.1	49	0
74	Aug-28-2020 12:55	3.2	75	29.0	49	0
75	Aug-28-2020 13:55	2.9	76	29.0	49	0
76	Aug-28-2020 14:55	2.9	76	29.0	48	0
77	Aug-28-2020 15:55	3.4	77	29.0	48	0
78	Aug-28-2020 16:55	2.9	77	29.0	48	0
79	Aug-28-2020 17:55	3.0	77	29.0	48	0
80	Aug-28-2020 18:55	3.0	76	29.0	47	0
81	Aug-28-2020 19:55	2.7	76	29.0	48	0
82	Aug-28-2020 20:55	3.5	76	29.0	48	0
83	Aug-28-2020 21:55	3.3	76	29.0	48	0
84	Aug-28-2020 22:55	4.0	75	29.0	48	0
85	Aug-28-2020 23:55	2.6	75	29.0	48	0
86	Aug-29-2020 00:55	3.4	73	28.9	48	0
87	Aug-29-2020 01:55	4.2	71	28.9	47	0
88	Aug-29-2020 02:55	3.3	69	28.9	47	0
89	Aug-29-2020 03:55	2.7	67	28.9	48	0
90	Aug-29-2020 04:55	4.3	66	28.9	48	0
91	Aug-29-2020 05:55	3.3	67	28.8	49	0
92	Aug-29-2020 06:55	2.5	68	28.8	49	0
93	Aug-29-2020 07:55	3.1	69	28.8	50	0
94	Aug-29-2020 08:55	3.4	69	28.8	50	0



105 Crest Pointe Ln
Oak Ridge, TN 37830
(865) 748-9414

Hourly Radon Report

01-Mar-2021

Customer Information:

Joe Tech
123 Main Street
Frederick MD 21713

Test Site:

555 Bismuth Blvd
Frederick MD 21713

A Rad Elec Recon® CRM (NRPP Device Code #8304 / NRSB Device Code #31823) was used for radon screening measurements that were conducted at the above referenced test site by: ABC Radon Testing

The results are as follows:

Serial#	Instrument	Location	Start Date/Time	End Date/Time	Results (pCi/L)
181	Recon CRM		08-25-2020 10:55	08-29-2020 15:51	2.9

Average Radon Concentration in: 2.9 pCi/L

Record#	Date/Time	Radon (pCi/L)	Temperature (°F)	Pressure (inHg)	Humidity (%)	Tilts
95	Aug-29-2020 09:55	3.3	70	28.8	51	0
96	Aug-29-2020 10:55	3.3	70	28.8	51	0
97	Aug-29-2020 11:55	3.2	68	28.8	50	0
98	Aug-29-2020 12:55	3.0	68	28.8	51	0
99	Aug-29-2020 13:55	2.0	70	28.7	51	0
100	Aug-29-2020 14:55	3.3	71	28.7	51	0